



09/827253

C9/1

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any paper or item referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first-class mail in an envelope addressed to Assistant Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date:

7-1-05

Jennifer A. Moore
Jennifer A. Moore

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Certificate

JUL 11 2005

of Correction

In re Patent of:

Applicant: Stefan Vilsmeier

Patent No.: 6,873,867 B2

Issued: March 29, 2005

For: REFERENCING OR REGISTERING A PATIENT OR A PATIENT
BODY PART IN A MEDICAL NAVIGATION SYSTEM BY MEANS
OF IRRADIATION OF LIGHT POINTS

Docket No. SCHWP0127US

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 CFR 1.322(a))**

Assistant Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attention: Decision and Certificate of Correction
Branch of the Patent Issue Division

Sir:

Request hereby is made for issuance of a certificate of correction which corrects PTO mistakes in the printing of the patent. Attached hereto in duplicate is form PTO-1050 with at least one copy being suitable for printing.

The exact page and line numbers in the application where the correct language is found are:

Claim 7 as allowed, "position" should read --positions--.


Claim 12 as allowed, "cooled" should read --coupled--.

Please send the Certificate to:

Don W. Bulson, Esq.
RENNER, OTTO, BOISSELLE & SKLAR, LLP
1621 Euclid Avenue – Nineteenth Floor
Cleveland, OH 44115

No fee is believed to be necessary. However, if the errors are found to be those of the applicant, please charge any required fee to Deposit Account No. 18-0988 under the above shown docket number.

Respectfully submitted,



Don W. Bulson
Registration No. 28,192

RENNER, OTTO, BOISSELLE & SKLAR, LLP
1621 Euclid Avenue
Nineteenth Floor
Cleveland, OH 44115

(216) 621-1113

Z:\SEC\152\152\IDWB\ISCHW\PI\P0127\IP0127US.P06.wpd

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,873,867 B2
DATED : March 29, 2005
INVENTOR(S) : Stefan Vilsmeier

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7, line 4, "position" should read --positions--.

Column 8, line 1, "cooled" should read --coupled--.

MAILING ADDRESS OF SENDER:

Renner, Otto, Boisselle & Sklar, LLP
1621 Euclid Avenue -- Nineteenth Floor
Cleveland, Ohio 44115-2191

Patent No. 6,873,867 B2

No. of additional copies
at \$0.30 per page.

PTO-1050
PTO/SB/44

JUL 12 2005